

A mikrovaskuláris laboratórium elért eredményei

Kovach, A.G.B., E. Dora, S. Szedlacsek and A. Koller. Effect of the organic calcium antagonist D-600 on cerebrocortical vascular and redox responses evoked by adenosine, epilepsy, and anoxia. *J. Cereb. Blood Flow Metabol.* 3:51-61, 1983.

Dora, E., A. Koller and A.G.B. Kovach. Effect of topical adenosine deaminase treatment on the functional hyperemic and hypoxic responses of cerebrocortical microcirculation. *J. Cerebral Blood Flow and Metabolism* 4:447-457, 1984.

Koller, A., D. Sun and G. Kaley. Role of shear stress and endothelial prostaglandins in flow- and viscosity-induced dilation of arterioles in vitro. *Circ. Res.* 72:1276-1284, 1993.

Sun, D., G. Kaley and A. Koller. Characteristics and origin of myogenic response in isolated gracilis muscle arterioles. *Am. J. Physiology*, 266 (Heart and Circ. Physiol. 35):H1177-H1183, 1994.

Huang, A., D. Sun, G. Kaley and A. Koller. Superoxide released to high intra-arteriolar pressure reduces nitric oxide-mediated shear stress- and agonist-induced dilations. *Circ. Res.* 83: 960-965, 1998.

Ungvari, Z., P. Pacher, V. Kecskemeti, A. Koller. Fluoxetine dilates isolated small cerebral arteries of rats and attenuates constrictions to serotonin, norepinephrine and a voltage-dependent Ca²⁺-channel opener. *Stroke* 30: 1949-1954, 1999.

Huang A., Koller A. Shear stress-induced release of prostaglandin-H₂ in arterioles of hypertensive rats. *Hypertension*, 35: 925-930, 2000.

Ungvari Z, Csiszar A, Huang A, Kaminski PM, Wolin MS, Koller A. High pressure induces superoxide production in isolated arteries via protein-kinase C-dependent activation of NAD(P)H oxidase. *Circulation* 108(10): 1253-1258, 2003.

Cseko Cs., Bagi Z., Koller A. Biphasic effect of hydrogen peroxide on skeletal muscle arteriolar tone via activation of endothelial and smooth muscle signaling pathways. *J Appl. Physiology*, 97(3):1130-1137. 2004.

Koller A. Flow-Dependent remodeling of small arteries: the stimuli and the sensors are (still) in question. *Circ Res* 99(1):6-9. 2006.

Szerafin T, Erdei N, Fulop T, Pasztor ET, Edes I, Koller A, Bagi Z. Increased cyclooxygenase-2 expression and prostaglandin-mediated dilation in coronary arterioles of patients with diabetes

mellitus. *Circ Res.* 1;99(5):e12-7., 2006.

Racz A., Veresh Z., Lotz G., Bagi Zs., Koller A. Cyclooxygenase-2 derived thromboxane A(2) and reactive oxygen species mediate flow-induced constrictions of venules in hyperhomocysteinemia. *Atherosclerosis*, Jan; 208(1):43-9, 2010.

Toth P., Koller A., Pusch G., Bosnyak E., Szapary L., Komoly S., Marko L., Nagy J., Wittmann I. Microalbuminuria, indicated by total versus immunoreactive urinary albumins in acute ischemic stroke patients. *Journal of Stroke and Cerebrovascular Diseases*, In Press, 2010
doi:10.1016/j.jstrokecerebrovasdis.2010.03.002

Peter Toth, Bernadett Rozsa, Zsolt Springo, Tamas Doczi, Akos Koller. Isolated human and rat cerebral arteries constrict to increases in flow: role of 20-HETE and TP receptors, *Journal of Cerebral Blood Flow & Metabolism*, 31, 2096–2105; 2011. doi:10.1038/jcbfm.2011.74;